FSA Geometry End-of-Course Review Packet Answer Key Circles Geometric Measurement and **Geometric Properties**

Table of Conte	ents
----------------	------

MAFS.912.G-C.1.1 EOC Practice	3
MAFS.912.G-C.1.2 EOC Practice	5
MAFS.912.G-C.1.3 EOC Practice	8
MAFS.912.G-C.2.5 EOC Practice	10
MAFS.912.G-GMD.1.1 EOC Practice	
MAFS.912.G-GMD.1.3 EOC Practice	16
MAFS.912.G-GMD.2.4 EOC Practice	17
MAFS.912.G-GPE.1.1 EOC Practice	22
MAFS.912.G-GPE.2.4 EOC Practice	24
MAFS.912.G-GPE.2.5 EOC Practice	26
MAFS.912.G-GPE.2.6 EOC Practice	27
MAFS.912.G-GPE.2.7 EOC Practice	


MAFS.912.G-C.1.1 EOC Practice


Level 2	Level 3	Level 4	Level 5
identifies that all	uses a sequence of no more than	uses the measures of different parts	explains why
circles are similar	two transformations to prove that	of a circle to determine similarity	all circles are
	two circles are similar		similar

1. As shown in the diagram below, circle A as a radius of 3 and circle B has a radius of 5.

Use transformations to explain why circles A and B are similar.

Check student work: Sample answer, Circle A can be mapped onto circle B by first translating circle A along vector AB such that A maps onto B, and then dilating circle A, centered at A, by a scale factor of 5/3 . Since there exists a sequence of transformations that maps circle A onto circle B circle A is similar to circle B.





2. Which can be accomplished using a sequence of similarity transformations?

I. mapping circle O onto circle P so that O₁ matches P₁

II. mapping circle P onto circle O so that P1 matches O1



- A. I only
- B. II only
- C. both I and II
- D. neither I nor II

- 3. Which statement explains why all circles are similar?
 - A. There are 360° in every circle.
 - B. The ratio of the circumference of a circle to its diameter is same for every circle.
 - C. The diameter of every circle is proportional to the radius.
 - D. The inscribed angle in every circle is proportional to the central angle.
- 4. Which method is valid for proving that two circles are similar?
 - A. Calculate the ratio of degrees to the area for each circle and show that they are equal.
 - B. Calculate the ratio of degrees to the radius for each circle and show that they are equal.
 - C. Calculate the ratio of the area to the diameter for each circle and show that they are equal.
 - D. Calculate the ratio of radius to circumference for each circle and show that they are equal.
- 5. Which statement is true for any two circles?
 - A. The ratio of the areas of the circles is the same as the ratio of their radii.
 - B. The ratio of the circumferences of the circles is the same as the ratio of their radii.
 - C. The ratio of the areas of the circles is the same as the ratio of their diameters.
 - D. The ratio of the areas of the circles is the same as the ratio of their circumferences.


MAFS.912.G-C.1.2 EOC Practice

Level 2	Level 3	Level 4	Level 5
solves problems	solves problems that use no	solves problems that	solves problems using at least
using the properties	more than two properties	use no more than two	three properties of central
of central angles,	including using the properties of	properties, including	angles, diameters, radii,
diameters, and radii	inscribed angles, circumscribed	using the properties of	inscribed angles, circumscribed
	angles, and chords	tangents	angles, chords, and tangents


1. If $m \angle C = 55^\circ$, then what is $m \angle D$?

Α.	27.5°
Β.	35°
C.	55°


D. 110°



2. Triangle STR is drawn such that segment ST is tangent to circle Q at point T, and segment SR is tangent to circle Q at point R. If given any triangle STR with these conditions, which statement must be true?




- B. Angle S is always smaller than angles T and R.
- C. Triangle STR is always an isosceles triangle.
- D. Triangle STR can never be a right triangle.




3. In this circle, $mQR = 72^\circ$.

What is m∠QPR?

- A. 18°
- B. 24°
- <mark>C. 36°</mark>
- D. 72°




4. Use the diagram to the right to answer the question.



What is wrong with the information given in the diagram?


- A. \overline{HJ} should pass through the center of the circle.
- B. The length of \overline{GH} should be equal to the length of \overline{JK} .
- C. The measure of $\angle GHM$ should be equal to the measure of $\angle JKM$.
- D. The measure of $\angle HMK$ should be equal to half the measure of HK
- 5. Chords \overline{WP} and \overline{KZ} intersect at point *L* in the circle shown.




What is the length of \overline{KZ} ?

- A. 7.5
- B. 9
- C. 10
- D. 12

6. In circle $0, m \angle SOT = 68^{\circ}$. What is $m \angle SRT$?



7. Circle *P* has tangents \overline{XY} and \overline{ZY} and chords \overline{WX} and \overline{WZ} , as shown in this figure. The measure of $\angle ZWX = 70^{\circ}$.



What is the measure, in degrees, of $\angle XYZ$?

- A. 20°
- B. 35°
- <mark>C. 40°</mark>
- D. 55°


MAFS.912.G-C.1.3 EOC Practice

Level 2	Level 3	Level 4	Level 5
identifies	creates or provides steps for the	solves problems that use the	proves the unique
inscribed and	construction of the inscribed and	incenter and circumcenter of a	relationships
circumscribed	circumscribed circles of a triangle; uses	triangle; justifies properties of	between the
circles of a	properties of angles for a quadrilateral	angles of a quadrilateral that is	angles of a triangle
triangle	inscribed in a circle; chooses a property	inscribed in a circle; proves	or quadrilateral
	of angles for a quadrilateral inscribed in	properties of angles for a	inscribed in a circle
	a circle within an informal argument	quadrilateral inscribed in a circle	

- 1. The center of the inscribed circle of a triangle has been established. Which point on one of the sides of a triangle should be chosen to set the width of the compass?
 - A. intersection of the side and the median to that side
 - B. intersection of the side and the angle bisector of the opposite angle
 - C. intersection of the side and the perpendicular passing through the center
 - D. intersection of the side and the altitude dropped from the opposite vertex
- 2. Quadrilateral ABCD is inscribed in a circle as shown in the diagram below.


If $m \angle A = 85^{\circ}$ and $m \angle D = 80^{\circ}$, what is the $m \angle B$?

- A. 80°
- B. 85°
- C. 95°
- D. 100°



- 3. Quadrilateral ABCD is inscribed in a circle. Segments AB and BC are not the same length. Segment AC is a diameter. Which must be true?
 - A. ABCD is a trapezoid.
 - B. ABCD is a rectangle.
 - C. ABCD has at least two right angles.
 - D. ABCD has an axis of symmetry.
- 4. Which statement is valid when a circumscribed circle of an obtuse triangle is constructed?
 - A. The longest side of the triangle lies on the diameter of the circle.
 - B. The circle is drawn inside the triangle touching all 3 sides.
 - C. The center of the circle is in the interior of the triangle.
 - D. The vertices of the triangle lie on the circle.

5. In the diagram below, \overline{AB} , \overline{BC} , and \overline{AC} are tangents to circle O at points F, E, and D, respectively, AF = 6, CD = 5, and BE = 4.




What is the perimeter of $\triangle ABC$?

- A. 15
- B. 25
- <mark>C. 30</mark>
- D. 60

MAFS.912.G-C.2.5 EOC Practice

Level 2	Level 3	Level 4	Level 5
identifies a	applies similarity to solve	derives the formula for the area	proves that the length of the
sector area of a	problems that involve the length	of a sector and uses the formula	arc intercepted by an angle is
circle as a	of the arc intercepted by an	to solve problems; derives, using	proportional to the radius,
proportion of	angle and the radius of a circle;	similarity, the fact that the length	with the radian measure of
the entire circle	defines radian measure as the	of the arc intercepted by an angle	the angle being the constant
	constant of proportionality	is proportional to the radius	of proportionality

- 1. What is the area of the shaded sector?
 - A. 5π square meters
 - B. 10π square meters
 - C. 24π square meters
 - D. 40π square meters




- A. $\frac{3\pi}{4}$ square inches
- B. $\frac{3\pi}{2}$ square inches
- C. $\frac{9\pi}{4}$ square inches
- D. $\frac{9\pi}{2}$ square inches
- 3. What is the area of the shaded sector if the radius of circle Z is 5 inches?


A. $\frac{25\pi}{3}$ square inches


- B. 25π square inches
- C. $\frac{25\pi}{4}$ square inches
- D. 5π square inches
- 4. What is the area of the shaded sector, given circle Q has a diameter of 10?


A. $18\frac{3}{4}\pi$ square units

- B. 25π square units
- C. $56\frac{1}{4}\pi$ square units
- D. 75π square units









- 5. Given: Three concentric circles with the center O.
 - $\overline{KL} \cong \overline{LN} \cong \overline{NO}$ KP = 42 inches

Which is closest to the area of the shaded region?


- A. 231 sq in.
- B. 308 sq in.
- C. 539 sq in.
- D. 616 *sq in*.
- 6. The minute hand on a clock is 10 centimeters long and travels through an arc of 108° every 18 minutes.

Which measure is closest to the length of the arc the minute hand travels through during this 18 —minute period?


- A. 3 cm
- B. 6 *cm*
- C. 9.4 *cm*
- D. <mark>18.8 *cm*</mark>
- 7. The spokes of a bicycle wheel form 10 congruent central angles. The diameter of the circle formed by the outer edge of the wheel is 18 inches.

What is the length, to the nearest 0.1 inch, of the outer edge of the wheel between consecutive spokes?

- A. 1.8 inches
- B. 5.7 inches
- C. 11.3 inches
- D. 25.4 inches




108°





What is the measure of angle B, in radians?


- A. $10 + 2\pi$
- B. 20π
- C. $\frac{\pi}{5}$
- D. $\frac{5}{\pi}$




MAFS.912.G-GMD.1.1 EOC Practice

Level 2	Level 3	Level 4	Level 5
gives an informal	uses dissection arguments	sequences an informal limit	explains how to
argument for the formulas	and Cavalier's principle for	argument for the circumference of	derive a formula using
for the circumference of a	volume of a cylinder,	a circle, area of a circle, volume of a	an informal argument
circle and area of a circle	pyramid, and cone	cylinder, pyramid, and cone	


 To estimate the area of a circle, Irene divided the circle into 30 congruent sectors. Then she combined pairs of sectors into shapes as shown below. As the shapes resemble rectangles, she treats the shapes as rectangles with the height r (radius) and the base equal to the length of the curved side of one sector. What is the area of each shape?






two sectors combined

2. The prism can be cut into three pyramids with the shaded faces congruent. If the shaded faces are considered as bases, then all three pyramids have the same height, h. Therefore the pyramids have equal volumes. What is the volume of each pyramid?







3. Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.


Use Cavelieri's principle to explain why the volumes of these two stacks of quarters are equal.

Check Student work: Sample Answer: Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.






4. Two cylinders, a sphere, and a cone are shown. Select the two objects with the same volume.



- 5. According to Cavalieri's principle, under what conditions are the volumes of two solids equal?
 - A. When the cross-sectional areas are the same at every level
 - B. When the areas of the bases are equal and the heights are equal
 - C. When the cross-sectional areas are the same at every level and the heights are equal
 - D. When the bases are congruent and the heights are equal

6. Sasha derived the formula for the volume of a square pyramid. She started by dividing a cube into 6 identical square pyramids. The top vertex of each pyramid meets at the central point in the cube, with the cube's diagonals as the edges.



V = the volume of a pyramid; s = side length of base, h = height of pyramid

The steps of Sasha's work are shown.

- Step 1: 6V = s³
- Step 2: $V = \frac{1}{3}s^3$

Maggie also derived the formula for volume of a square pyramid.

• Maggie's result is $V = \frac{1}{3}s^2h$.

The formulas derived by Sasha and Maggie can both be used to correctly calculate the volume of a square pyramid. What are the best next steps for Sasha to take to prove that either formula can be used to find the volume of a square pyramid?

A.	

step 3	2h = s
step 4	$V = \frac{1}{6}(2h)^3$
step 5	$V = \frac{1}{3}8h^3$

step 32h = sstep 4 $V = \frac{1}{6}s^2(s)$ step 5 $V = \frac{1}{6}s^2(2h)$

C.

step 3	2s = h
step 4	$s = \frac{1}{2}h$
step 5	$V = \frac{1}{6}s^2(s)$
step 6	$V = \frac{1}{6}s^2\left(\frac{1}{2}h\right)$

D.


Β.

step 3	2s = h
step 4	$s = \frac{1}{2}h$
step 5	$V = \frac{1}{6} \left(\frac{1}{2}h\right)^3$
step 6	$V = \frac{1}{6} \left(\frac{1}{8}\right) h^3$


MAFS.912.G-GMD.1.3 EOC Practice

Level 2	Level 3	Level 4	Level 5
substitutes given dimensions into the formulas for the volume of cylinders, pyramids, cones, and spheres, given a graphic, in a real-world context	finds a dimension, when given a graphic and the volume for cylinders, pyramids, cones, or spheres	solves problems involving the volume of composite figures that include a cube or prism, and a cylinder, pyramid, cone, or sphere (a graphic would be given); finds the volume when one or more dimensions are	finds the volume of composite figures with no graphic; finds a dimension when the volume is changed
		changed	


- 1. Find the volume of the cylinder.
 - A. 452.2 cubic cm
 - B. 301.4 cubic cm
 - C. 150.7 cubic cm
 - D. 75.4 cubic cm



- 2. Find the volume of the rectangular pyramid.
 - A. 72 cubic inches
 - B. 200 cubic inches
 - C. 320 cubic inches
 - D. 960 cubic inches




- 3. This right pentagonal pyramid has a height of 8 inches and a base area of 61.94 square inches. To the nearest hundredth, what is the volume of the pyramid?
 - A. 80.00 cubic inches
 - B. 165.17 cubic inches
 - C. 240.00 cubic inches
 - D. 495.52 cubic inches
- 4. What is the volume of the cone shown?
 - A. $500\pi m^3$
 - B. $1,500\pi m^3$
 - C. $2,000\pi m^3$
 - D. $3,000\pi m^3$




(Not drawn to scale)

- 5. A cylinder has a volume of 300π cubic centimeters and a base with a circumference of 10π centimeters. What is the height of the cylinder?
 - A. 30 cm
 - B. 15 cm
 - C. 12 cm
 - D. 3 cm
- 6. The ratio of the volume of two spheres is 8:27. What is the ratio of the lengths of the radii of these two spheres?




- 7. The height of a cylinder is 9.5 centimeters. The diameter of this cylinder is 1.5 centimeters longer than the height. Which is closest to the volume of the cylinder?
 - A. 1,150π
 - <mark>Β. 287π</mark>
 - C. 165π
 - D. 105π

- 8. The diameter of a basketball is approximately 9.5 inches and the diameter of a tennis ball is approximately 2.5 inches. The volume of the basketball is about how many times greater than the volume of the tennis ball?
 - A. 3591
 - B. 65
 - <mark>C. 55</mark>
 - **D.** 4
- 9. A grain storage silo consists of a cylinder and a hemisphere. The diameter of the cylinder and the hemisphere is 20 feet. The cylinder is 150 feet tall.



What is the volume of the silo?



MAFS.912.G-GMD.2.4 EOC Practice


Level 2	Level 3	Level 4	Level 5
identifies the	identifies a three-dimensional	identifies a three-dimensional object	identifies a three-
shapes of two-	object generated by rotations	generated by rotations of a closed	dimensional object
dimensional	of a triangular and rectangular	two-dimensional object about a line	generated by rotations,
cross- sections	object about a line of	of symmetry of the object; identifies	about a line of
formed by a	symmetry of the object;	the location of a nonhorizontal or	symmetry, of an open
vertical or	identifies the location of a	nonvertical slice that would give a	two-dimensional object
horizontal plane	horizontal or vertical slice that	particular cross-section; draws the	or a closed two-
	would give a particular cross-	shape of a particular two-	dimensional object with
	section; draws the shape of a	dimensional cross-section that is the	empty space between
	particular two-dimensional	result of a nonhorizontal or	the object and the line of
	cross-section that is the result	nonvertical slice of a three-	symmetry; compares and
	of horizontal or vertical slice of	dimensional shape; compares and	contrasts different types
	a three-dimensional shape	contrasts different types of slices	of rotations

1. An isosceles right triangle is placed on a coordinate grid. One of its legs is on the x-axis and the other on the y-axis. Which describes the shape created when the triangle is rotated about the x - axis?

<mark>A. Cone</mark>

- B. Cylinder
- C. Pyramid
- D. Sphere
- 2. A rectangle will be rotated 360° about a line which contains the point of intersection of its diagonals and is parallel to a side. What three-dimensional shape will be created as a result of the rotation?
 - A. Cube
 - B. Rectangular Prism
 - C. Cylinder
 - D. a sphere
- 3. Which of the following figures could be produced by translating a polygon back and forth in a direction perpendicular to the plane containing the figure?
 - A. Cone
 - B. Cylinder
 - <mark>C. Prism</mark>
 - D. Sphere


- 4. Which of the following is the best description for the resulting three-dimensional figure if a right triangle is rotated about the line containing its hypotenuse?
 - A. a cone with slant height the same length as the longest leg
 - B. a pyramid with triangular base
 - C. two cones sharing the same circular base with apexes opposite each other
 - D. a cone with slant height the same length as the shortest leg
- 5. William is drawing pictures of cross sections of the right circular cone below.



Which drawing cannot be a cross section of a cone?



6. Which figure can have the same cross section as a sphere?




7. If the rectangle below is continuously rotated about side w, which solid figure is formed?



- A. pyramid
- B. rectangular prism
- C. cone
- D. cylinder
- 8. What shape is the cross section formed by the intersection of a cone and a plan parallel to the base of the cone?

A. Circle

- B. trapezoid
- C. oval
- D. triangle
- 9. Andrea claims that any two cross sections of a cylinder that lie on parallel planes are congruent.



Is Andrea correct? If not, how can she modify her claim to be correct?

- A. No; any two cross sections of a cylinder that lie on planes parallel to the bases of the cylinder are congruent.
- B. No; any two cross sections of a cylinder that lie on planes parallel to a plane containing the axis of rotation are congruent.
- C. No; any two cross sections of a cylinder that lie on planes containing the axis of rotation are congruent.
- D. Andrea is correct.
- 10. Erin drew a three-dimensional figure with an intersecting plane to show a circular cross section. She then noticed that all cross sections parallel to the one she drew would also be circles. What additional information would allow you to conclude that Erin's figure was a cylinder?
 - A. The centers of the circular cross sections lie on a line.
 - B. The circular cross sections are congruent.
 - C. The circular cross sections are similar but not congruent.
 - D. The figure also has at least one rectangular cross section.

MAFS.912.G-GPE.1.1 EOC Practice

Level 2	Level 3	Level 4	Level 5
determines the	completes the square to find the	derives the equation of the	derives the equation of a
center and radius	center and radius of a circle given by	circle using the	circle using the Pythagorean
of a circle given	its equation; derives the equation of	Pythagorean theorem	theorem when given
its equation in	a circle using the Pythagorean	when given coordinates of	coordinates of a circle's
general form	theorem, the coordinates of a circle's	a circle's center and a point	center as variables and the
	center, and the circle's radius	on the circle	circle's radius as a variable

1. A circle has this equation.

$$x^2 + y^2 + 4x - 10y = 7$$

What are the center and radius of the circle?

- A. center: (2, −5)
 radius: 6
- B. center: (–2, 5) radius: 6
- C. center: (2, -5) radius: 36
- D. center: (-2, 5) radius: 36
- 2. The equation $x^2 + y^2 4x + 2y = b$ describes a circle.

Part A

Determine they-coordinate of the center of the circle. Enter your answer in the box.

<mark>-1</mark>

Part B

The radius of the circle is 7 units. What is the value of b in the equation? Enter your answer in the box.

<mark>44</mark>

- 3. What is the radius of the circle described by the equation $(x 2)^2 + (y + 3)^2 = 25$?
 - A. 4
 B. 5
 C. 25
 D. 625

- 4. What is the equation of a circle with radius 3 and center (3, 0)?
 - A. $x^{2} + y^{2} 6x = 0$ B. $x^{2} + y^{2} + 6x = 0$ C. $x^{2} + y^{2} - 6x + 6 = 0$ D. $x^{2} + y^{2} - 6y + 6 = 0$
- 5. Given: Circle W

W(-4, 6) Radius = 10 unitsWhich point lies on circle W?

A. A(0,4)B. B(2,10)C. C(4,0)D. D(6,16)

- 6. The equation $(x 1)^2 + (y 3)^2 = r^2$ represents circle *A*. The point *B*(4, 7) lies on the circle. What is *r*, the length of the radius of circle *A*?
 - A. $\sqrt{13}$ B. 5 C. $5\sqrt{5}$ D. $\sqrt{137}$
- 7. Which is the equation of a circle that passes through (2, 2) and is centered at (5, 6)?
 - A. $(x-6)^2 + (y-5)^2 = 25$ B. $(x-5)^2 + (y-6)^2 = 5$ C. $(x+5)^2 + (y+6)^2 = 25$ D. $(x-5)^2 + (y-6)^2 = 25$
- 8. Which is the equation of a circle that has a diameter with endpoints (1,3) and (-3,1)?
 - A. $(x + 1)^2 + (y 2)^2 = 10$ B. $(x + 1)^2 + (y - 2)^2 = 20$ C. $(x + 1)^2 + (y - 2)^2 = 5$ D. $(x - 1)^2 + (y - 2)^2 = 5$


MAFS.912.G-GPE.2.4 EOC Practice

Level 2	Level 3	Level 4	Level 5
uses coordinates	uses coordinates to prove	uses coordinates to prove or disprove	completes an
to prove or	or disprove that a figure is	properties of triangles, properties of circles,	algebraic proof or
disprove that a	a square, right triangle, or	properties of quadrilaterals without a	writes an explanation
figure is a	rectangle; uses coordinates	graph; provide an informal argument to	to prove or disprove
parallelogram	to prove or disprove	prove or disprove properties of triangles,	simple geometric
	properties of triangles,	properties of circles, properties of	theorems
	properties of circles,	quadrilaterals; uses coordinates to prove or	
	properties of quadrilaterals	disprove properties of regular polygons	
	when given a graph	when given a graph	

1. The diagram shows quadrilateral ABCD.

Which of the following would prove that ABCD is a parallelogram?


- A. Slope of \overline{AD} = Slope of \overline{BC} Length of \overline{AD} = Length of \overline{BC}
- B. Slope of \overline{AD} = Slope of \overline{BC} Length of \overline{AB} = Length of \overline{AD}
- C. Length of \overline{AD} = Length of \overline{BC} = Length of \overline{DC}
- D. Length of \overline{AD} = Length of \overline{BC} = Length of \overline{AB}



- A. (6,7)
- B. (7, 8)
- C. (7,9)
- D. (8,7)
- 3. Jillian and Tammy are considering a quadrilateral *ABCD*. Their task is to prove is a square.
 - Jillian says, "We just need to show that the slope of AB equals the slope of CD and the slope of BC equals the slope AD."
 - Tammy says, "We should show that AC = BD and that $(slope \ of \ \overline{AC}) \times (slope \ of \ \overline{BD}) = -1$."

Whose method of proof is valid?

- A. Only Jillian's is valid.
- B. Only Tammy's is valid.
- C. Both are valid.
- D. Neither is valid.



4. Which type of triangle has vertices at the points R(2, 1), S(2, 5), and T(4, 1)?

<mark>A. right</mark>

- B. acute
- C. isosceles
- D. equilateral
- 5. The vertices of a quadrilateral are M(-1, 1), N(1, -2), O(5, 0), and P(3, 3). Which statement describes Quadrilateral MNOP?
 - A. Quadrilateral MNOP is a rectangle.
 - B. Quadrilateral MNOP is a trapezoid.
 - C. Quadrilateral MNOP is a rhombus but not a square.
 - D. Quadrilateral MNOP is a parallelogram but not a rectangle.
- 6. Triangle ABC has vertices with A(x, 3), B(-3, -1), and C(-1, -4). Determine and state a value of x that would make triangle a right triangle.

x = 3 or x = 9.5

MAFS.912.G-GPE.2.5 EOC Practice


Level 2	Level 3	Level 4	Level 5
identifies that	creates the equation of a line that is	creates the equation of a line	proves the slope criteria
the slopes of	parallel given a point on the line and	that is parallel given a point on	for parallel and
parallel lines are	an equation, in slope-intercept	the line and an equation, in a	perpendicular lines; writes
equal	form, of the parallel line or given	form other than slope-	equations of parallel or
	two points (coordinates are integral)	intercept; creates the equation	perpendicular lines when
	on the line that is parallel; creates	of a line that is perpendicular	the coordinates are
	the equation of a line that is	that passes through a specific	written using variables or
	perpendicular given a point on the	point when given two points or	the slope and y-intercept
	line and an equation of a line, in	an equation in a form other	for the given line contains
	slope- intercept form	than slope-intercept	a variable

1. Which statement is true about the two lines whose equations are given below?

$$3x - 5y = -3$$
$$-2x + y = -8$$

- A. The lines are perpendicular.
- B. The lines are parallel.
- C. The lines coincide.
- D. The lines intersect, but are not perpendicular.
- 2. An equation of a line perpendicular to the line represented by the equation $y = -\frac{1}{2}x 5$ and passing through (6, -4) is
 - A. $y = -\frac{1}{2}x + 4$ B. $y = -\frac{1}{2}x - 1$ C. y = 2x + 14D. y = 2x - 16
- 3. The equation of a line containing one leg of a right triangle is y = -4x. Which of the following equations could represent the line containing the other leg of this triangle?
 - A. $y = -\frac{1}{4}x$ B. $y = \frac{1}{4}x + 2$ C. y = 4xD. y = -4x + 2

4. $\triangle ABC$ with vertices A(2,3), B(5,8), and C(9,2) is graphed on the coordinate plane below.



Which equation represents the altitude of ΔABC from vertex *B*?

- A. y = -11x + 55B. y = -11x + 63C. y = 7x - 36D. y = 7x - 27
- 5. Which equation describes a line that passes through (6, -8) and is perpendicular to the line described by 4x 2y = 6?
 - A. $y = -\frac{1}{2}x 5$ B. $y = -\frac{1}{2}x - 3$ C. y = 2x - 3D. y = 2x - 20
- 6. Write an equation in point-slope form for the perpendicular bisector of the segment with endpoints A(-2, 2) and B(5, 4).
 - A. $y-3 = -\frac{7}{2}(x-1.5)$ B. $y-3 = \frac{2}{3}(x-1.5)$ C. $y-1 = -\frac{2}{7}(x-3.5)$ D. $y-1 = \frac{7}{2}(x-3.5)$


MAFS.912.G-GPE.2.6 EOC Practice

Level 2	Level 3	Level 4	Level 5
finds the point on a line	finds the point on a line	finds the endpoint on a	finds the point on a line
segment that partitions the	segment that partitions, with	directed line segment	segment that partitions or
segment in a given ratio of	no more than five partitions,	given the partition ratio,	finds the endpoint on a
1 to 1, given a visual	the segment in a given ratio,	the point at the	directed line segment when
representation of the line	given the coordinates for the	partition, and one	the coordinates contain
segment	endpoints of the line segment	endpoint	variables

1. Given A(0,0) and B(60,60), what are the coordinates of point M that lies on segment AB, such that AM: MB = 2:3?


A	(24	24
A. ((24,	24

- B. (24, 36)
- C. (40, 40)
- D. (40,90)
- 2. Point *G* is drawn on the line segment so that the ratio of FG to GH is 5 to 1. What are the coordinates of point G?



- A. (4, 4.6)
- B. (4.5, 5)
- C. (-5.5, -3)
- D. (-5, -2.6)

- 3. A city map is placed on a coordinate grid. The post office is located at the point P(5, 35), the library is located at the point L(15, 10), and the fire station is located at the point F(9, 25). What is the ratio of the length of \overline{PF} to the length of \overline{LF} ?
 - A. 2:3
 - B. 3:2
 - C. 2:5
 - D. 3:5
- 4. Trapezoid TRAP is shown below.



What is the length of midsegment \overline{MN} ?



- B. $\frac{25}{2}$
- C. $\sqrt{234}$
- D. 100
- 5. Directed line segment *PT* has endpoints whose coordinates are P(-2, 1) and T(4, 7). Determine the coordinates of point *J* that divides the segment in the ratio 2 to 1.


<mark>J(2,5)</mark>

- 6. What are the coordinates of the point on the directed line segment from K(-5, -4) to L(5,1) that partitions the segment into a ratio of 3 to 2?
 - A. (-3, -3)
 - B. (-1, -2)
 - C. $(0, -\frac{3}{2})$
 - D. <mark>(1,−1)</mark>


MAFS.912.G-GPE.2.7 EOC Practice

Level 2	Level 3	Level 4	Level 5
finds areas and	when given a graphic, finds area	finds area and perimeter of	finds area and
perimeters of right	and perimeter of regular	irregular polygons that are	perimeter of shapes
triangles, rectangles, and	polygons where at least two	shown on the coordinate plane;	when coordinates
squares when given a	sides have a horizontal or	finds the area and perimeter of	are given as variables
graphic in a real-world	vertical side; finds area and	shapes when given coordinates	-
context	perimeter of parallelograms		

- 1. Two of the vertices of a triangle are (0, 1) and (4, 1). Which coordinates of the third vertex make the area of the triangle equal to 16?
 - A. (0, -9)
 - B. (0, 5)
 - C. (4, -7)
 - D. (4,-3)
- 2. On a coordinate plane, a shape is plotted with vertices of (3, 1), (0, 4), (3, 7), and (6, 4). What is the area of the shape if each grid unit equals one centimeter?
 - A. 18 cm²
 - B. 24 *cm*²
 - C. $36 \ cm^2$
 - D. 42 *cm*²
- 3. The endpoints of one side of a regular pentagon are (-1, 4) and (2, 3). What is the perimeter of the pentagon?
 - A. $\sqrt{10}$
 - B. 5√<u>10</u>
 - C. $5\sqrt{2}$
 - D. $25\sqrt{2}$
- 4. Find the perimeter of the triangle to the nearest whole unit.
 - A. 12
 - <mark>B. 14</mark>
 - C. 16
 - D. 18



5. A triangle is shown on the coordinate plane below.



What is the area of the triangle?

- A. 12 square units
- B. 24 square units
- C. 36 square units
- D. 48 square units